

298903

2020 CHESTNUT STREET PROPERTY  
REMOVAL ADMINISTRATIVE RECORD FILE \*  
INDEX OF DOCUMENTS

I. FACTUAL INFORMATION/DATA

1. Figure entitled, "Wind Rose Superimposed on Abex Site," prepared by Geo Engineering, 1/90. P. 100001-100009. An October 1991, figure entitled, "Wind Rose Sample Location Plan," and undated, handwritten field notes, are attached
2. Report: Remedial Investigation Report, Abex Corporation, Portsmouth, Virginia, prepared by GEO Engineering, Inc., 2/92. P. 100010-100191.
3. Report: Data Quality Report, Abex Site, Portsmouth, Virginia, (no author cited), 12/17/97. P. 100192-100200. A December 23, 1997, facsimile transmittal sheet to Mr. Glenn Lapsley from Mr. Richard Flack, Roy F. Weston, Inc., (Weston); a water, air, and soil analysis data package; and a hand-drawn sketch of the Abex soil sampling locations, are attached.
4. Report: Sampling Plan, Abex Lead Site, Portsmouth, Virginia, prepared by Weston, 4/9/98. P. 100201-100215. An April 7, 1998, transmittal letter to Mr. Bill Steuteville, U.S. EPA, from Mr. Richard Flack, Weston, is attached.
5. Report: Trip Report, Abex Lead Site, Portsmouth, Virginia, prepared by Weston, 5/26/98. P. 100216-100336. A May 27, 1998, Sampling Plan Modification 1 and a May 29, 1998, transmittal letter to Mr. William Steuteville, U.S. EPA, from Mr. Richard Flack, Weston, are attached.
6. Water, air, and soil analysis data package, for samples V28253 through V28260, prepared by Val Associates Laboratory Inc., 5/27/98. P. 100337-100368. A May 27, 1998, Water, Air, and Soil Analysis Data Package, for samples V28611 through V28612, is attached.

\* Administrative Record File available 11/30/00.

7. Report: Data Quality Report, Abex Site, Portsmouth, Virginia, prepared by Weston, 6/5/98.  
P. 100369-100370. A June 5, 1998, transmittal letter to Mr. William Steuteville, U.S. EPA, from Ms. Marian Murphy, Weston, is attached.
8. Report: Health Consultation, Chestnut Street Property Near Abex Lead Site, Portsmouth, Virginia, prepared by Agency for Toxic Substances and Disease Registry (ATSDR), 6/5/98. P. 100371-100375. A June 16, 1998, transmittal memorandum to Mr. William Steuteville and Mr. David Iacono, U.S. EPA, from Mr. Charles Walters, Jr., ATSDR, and a March 30, 1998, memorandum to Mr. Dave Iacono and Mr. William Steuteville, U.S. EPA, from Ms. Linda Watson, U.S. EPA, recommending that the soil at 2020 Chestnut Street be removed immediately due to the extremely high lead concentrations, are attached.
9. U.S. EPA Pollution Report #1, Unattributed Residential Soil Lead Site, 6/9/98. P. 100376-100381.
10. U.S. EPA Pollution Report #2, Unattributed Residential Lead Site, 10/5/98-10/10/98. P. 100382-100383.
11. U.S. EPA Pollution Report #3, Unattributed Residential Lead Site, 10/16/98. P. 100384-100386.
12. U.S. EPA Pollution Report #4, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 10/23/98. P. 100387-100389.
13. U.S. EPA Pollution Report #5, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 10/31/98. P. 100390-100392.
14. U.S. EPA Pollution Report #6, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 11/5/98. P. 100393-100394.
15. U.S. EPA Pollution Report #7, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 11/12/98. P. 100395-100397.
16. U.S. EPA Pollution Report #8, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 11/19/98. P. 100398-100400.

17. U.S. EPA Pollution Report #9, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 11/24/98. P. 100401-100402.
18. U.S. EPA Pollution Report #10, Unattributed Residential Lead Site (A.K.A. 2020 Chestnut Street), 12/7/98. P. 100403-100405.
19. U.S. EPA Pollution Report #11, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 12/14/98. P. 100406-100407.
20. U.S. EPA Pollution Report #12, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 12/21/98. P. 100408-100410.
21. U.S. EPA Pollution Report #13, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 12/24/98. P. 100411-100412.
22. U.S. EPA Pollution Report #14, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 1/11/99. P. 100413-100414.
23. U.S. EPA Pollution Report #15, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 1/18/99. P. 100415-100416.
24. Report: Sampling Plan, 2020 Chestnut Street Site, Portsmouth, Virginia, prepared by Weston, 1/21/99. P. 100417-100425. A January 21, 1999, transmittal letter to Mr. William Steuteville, U.S. EPA, from Mr. Mike Shannon, Weston, is attached.
25. U.S. EPA Pollution Report #16, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 1/25/99. P. 100426-100428.
26. U.S. EPA Pollution Report #17, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 2/1/99. P. 100429-100431.
27. U.S. EPA Pollution Report #18, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), 2/9/99. P. 100432-100433.

28. Sample Location Map, 2020 Chestnut Street Site (A.K.A. Unattributed Residential Lead Site), Portsmouth, Virginia, prepared by Weston, 2/10/99.  
P. 100434-100434.

## II. PUBLIC PARTICIPATION

1. Letter to Mr. William Saunders, U.S. EPA, from Mr. David Iacono, U.S. EPA, re: Notification that sampling results from the Saunders' Property yielded lead concentration levels which can be hazardous to human health, and suggestion for all family members to have their blood tested, 1/13/98. P. 200001-200004. A figure showing estimated volume of excavated soil, 2020 Chestnut Street Property Site, is attached.
2. U.S. EPA Fact Sheet, re: Status on cleanup of lead contaminated soil, Unattributed Residential Soil Lead Site, Portsmouth, Virginia, 11/98. P. 200005-200005.
3. U.S. EPA Fact Sheet, re: Status on lead contaminated soil, Unattributed Residential Soil Lead Site, Portsmouth, Virginia, 1/99. P. 200006-200020. The following are attached:
  - a) an October 1998 U.S. EPA Fact Sheet, Unattributed Residential Soil Lead Site, Portsmouth, Virginia;
  - b) a July 1998 U.S. EPA Fact Sheet, Unattributed Residential Soil Lead Site, Portsmouth, Virginia;
  - c) a June 1998 U.S. EPA Fact Sheet, Chestnut Street Soil Removal, Portsmouth, Virginia;
  - d) an undated pamphlet entitled, "Keep Your Child Safe From Lead Poisoning," prepared by Virginia Department of Health (VDH);
  - e) a 1998 pamphlet entitled, "Keep Your Child Lead-Safe," 1998.

### III. DECISION DOCUMENTS

1. Special Bulletin A, re: Notification of \$50,000 Non-Emergency Superfund Activation, 2020 Chestnut Street Property Site, Portsmouth, Virginia, 4/20/98. P. 300001-300010.
2. Memorandum to Mr. Timothy Fields, U.S. EPA, from Mr. Abraham Ferdas, U.S. EPA, re: Approval of request for a \$1,355,000 ceiling increase and a change of scope for the site, 7/8/98. P. 300011-300026. A July 8, 1998, memorandum to Mr. Abraham Ferdas, U.S. EPA, from Mr. William Steuteville, U.S. EPA, requesting a ceiling increase and a change of scope, is attached.
3. Memorandum to Mr. Timothy Fields, U.S. EPA, from Mr. Abraham Ferdas, U.S. EPA, re: Approval of request for a \$540,000 ceiling increase, 12/1/98. P. 300027-300038. A December 1, 1998, memorandum to Mr. Abraham Ferdas, U.S. EPA, from Mr. William Steuteville, U.S. EPA, requesting a ceiling increase, is attached.
4. Special Bulletin B, re: Proposal to reallocate currently unused funding which was approved for "lead source study" and "community relations," into the Emergency and Rapid Response Services budget, 2020 Chestnut Street Site, Portsmouth, Virginia, 1/29/99. P. 300039-300041.
5. Memorandum to Mr. Timothy Fields, U.S. EPA, from Mr. Abraham Ferdas, U.S. EPA, re: Approval of a request for a 1,073,000 ceiling increase and \$2 million and 12-month exemption for the 2020 Chestnut Street Property Site, 2/24/99. P. 300042-300056. A February 24, 1999, memorandum to Mr. Abraham Ferdas, U.S. EPA, from Mr. William Steuteville, U.S. EPA, requesting a ceiling increase and \$2 million and 12-month exemption for the 2020 Chestnut Street Property, is attached.

IV. ENFORCEMENT DOCUMENTS

1. Administrative Order for Removal Response Activities,  
In The Matter Of: Abex Corporation Site; Pneumo Abex  
Corporation, Respondent; Docket No. III-92-21-DC;  
3/30/92. P. 400001-400022.